

TRANSTAR
TRANSTAR INDUSTRIES®



4L60E

TRANSMISSION
& DRIVELINE
PERFORMANCE



LIMITED SHOW
EDITION

sonnax

EATON
PERFORMANCE PRODUCTS

TRANstec®
REBUILD IT RIGHT

TABLE OF CONTENTS

03 KITS AND SOFT PARTS

10 HARD PARTS

18 CONVERTERS

26 FLEXPLATE

**28 VALVE BODY
COMPONENTS**

30 DIFFERENTIAL

39 ACCESSORIES

INTRODUCTION

Transtar Industries has provided superior parts to the transmission repair industry for 45 years, leveraging exclusive relationships with key suppliers and our coast-to-coast distribution network to deliver customers what they need, when they need it.

Transtar is uniquely positioned to provide comprehensive performance solutions, partnering with racing professionals to offer solutions for street and track applications that go beyond the original vehicle design. Whether you need a heavily upgraded product that improves the durability of a transmission, or the very best parts that change a vehicle's performance profile to meet consumer requirements, Transtar is proud to deliver.

<i>STAGE 1</i>	VEHICLES WITH <500 HP	Have no adders (turbos, superchargers, etc.)
<i>STAGE 2</i>	VEHICLES WITH 500-1000 HP	Contain adders (turbos, superchargers, etc.). This is the prime category of power for dual-purpose vehicles (street and track and performance diesel).
<i>STAGE 3</i>	VEHICLES WITH 1000+ HP	Predominately found in track only applications and will feature highly specialized products and custom torque converters built by our partners.



SECTION 1


[KITS & SOFT PARTS]



TRANstec[®]
REBUILD IT RIGHT

4L60E Kit

Found in Transtar Performance Kits



BANDS

Part Number	Series	Description	Stage
N74020C	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Alto Power Band, 2.625in. wide, red lining	<div><div>1</div><div>2</div><div></div></div>
N74020CHK	TH700-R4/4L60E	Alabama Bands, 2.625in. wide, Kevlar lining	<div><div>1</div><div>2</div><div>3</div></div>
N74020CK	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Alto Power Band, 2.625in. wide, Kevlar lining	<div><div>1</div><div>2</div><div></div></div>
S74020AH	4L60/4L60E/4L65E/ 4L70E	Sonnax extra wide intermediate/2-4 band, kevlar lining	<div><div>1</div><div>2</div><div></div></div>
S74020C	4L60/4L60E/4L65E/ 4L70E	Sonnax extra wide intermediate/2-4 band, red lining	<div><div>1</div><div>2</div><div></div></div>

BUSHINGS

Part Number	Series	Description	Stage
74037T	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Sonnax rear stator support bushing, 1982-2014	<div><div>1</div><div>2</div><div>3</div></div>
DB74030HPC	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Durabond coated high performance bushing kit, 1982-2014	<div><div>1</div><div>2</div><div>3</div></div>

FRICTIONS

Part Number	Series	Description	Stage
A74100CHP	TH700-R4/4L60E	Alto Red Eagle 3-4 friction, 0.062in. thick	<div><div>1</div><div>2</div><div></div></div>
A74100HP	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Alto Red Eagle 3-4 Friction, 0.080in. thick	<div><div>1</div><div>2</div><div></div></div>
A74108AHP	4L60E/4L65E/4L70E	Alto Red Eagle forward friction	<div><div>1</div><div>2</div><div></div></div>
A74110AHP	4L60E/4L65E/4L70E	Alto Red Eagle reverse friction, 0.070in. thick, 1987-2014	<div><div>1</div><div>2</div><div></div></div>
A74110HP	TH700-R4	Alto Red Eagle reverse friction, 0.078in. thick, 1982-1987	<div><div>1</div><div>2</div><div></div></div>
A74114HP	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Alto Red Eagle low reverse friction, 0.087in. thick	<div><div>1</div><div>2</div><div></div></div>
A74116HP	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Alto Red Eagle overrun friction	<div><div>1</div><div>2</div><div></div></div>

KITS

Part Number	Series	Description	Stage
TSP74009A-ST1	4L60E	Transtec Master Kit w/ Alto Red frictions and Kolene steels, Bonded piston kit, Durabond HP bushing kit, Sonnax 3-4 HP backing plate kit, filter, Alto wide Power Band w/Red lining, thrust washer kit, (2) aluminum 1-2/3-4 accumulator pistons, aluminum forward accumulator piston, Sonnax 2nd gear Super Servo assembly, Sonnax 4th gear Super Servo assembly, Borg Warner 29 element forward clutch sprag with metal cage	<div><div>1</div><div></div><div></div></div>



Part Number	Series	Description	Stage
TSP74009A-ST2	4L60E	Transtec Master Kit w/ Alto Red frictions and Kolene steels, Bonded piston kit, Durabond HP bushing kit, Sonnax 3-4 HP backing plate kit, filter, Alto wide Power Band w/Red lining, thrust washer kit, (2) aluminum 1-2/3-4 accumulator pistons, aluminum forward accumulator piston, Sonnax 2nd gear Super Servo assembly, Sonnax 4th gear Super Servo assembly, Borg Warner 29 element forward clutch sprag with metal cage, Borg Warner wide type low roller clutch, Sonnax HP overrun clutch hub, Sonnax Smart Shell Kit	<div>1</div> <div>2</div> <div></div>
TSP74009A-ST3	4L60E	Transtec Master Kit w/ Alto Red frictions and Kolene steels, Bonded piston kit, Durabond HP bushing kit, Sonnax 3-4 HP backing plate kit, filter, Alto wide Power Band w/Red lining, thrust washer kit, (2) aluminum 1-2/3-4 accumulator pistons, aluminum forward accumulator piston, Sonnax 2nd gear Super Servo assembly, Sonnax 4th gear Super Servo assembly, Borg Warner 29 element forward clutch sprag with metal cage, Borg Warner wide type low roller clutch, Sonnax HP overrun clutch hub, Sonnax Smart Shell Kit, Sonnax HP 2WD 18.25 inch long output shaft (Note: for 4X4 applications, use Stage 2 kit and order Sonnax 4X4 output shaft (S74678BAHD))	<div>1</div> <div>2</div> <div>3</div>
TSP74009B-ST1	4L65E/4L70E	Transtec Master Kit w/ Alto Red frictions and Kolene steels, Bonded piston kit, Durabond HP bushing kit, Sonnax 3-4 HP backing plate kit, filter, Alto wide Power Band w/Red lining, thrust washer kit, (2) aluminum 1-2/3-4 accumulator pistons, aluminum forward accumulator piston, Sonnax 2nd gear Super Servo assembly, Sonnax 4th gear Super Servo assembly, Borg Warner 29 element forward clutch sprag with metal cage	<div>1</div> <div></div> <div></div>
TSP74009B-ST2	4L65E/4L70E	Transtec Master Kit w/ Alto Red frictions and Kolene steels, Bonded piston kit, Durabond HP bushing kit, Sonnax 3-4 HP backing plate kit, filter, Alto wide Power Band w/Red lining, thrust washer kit, (2) aluminum 1-2/3-4 accumulator pistons, aluminum forward accumulator piston, Sonnax 2nd gear Super Servo assembly, Sonnax 4th gear Super Servo assembly, Borg Warner 29 element forward clutch sprag with metal cage, Borg Warner wide type low roller clutch, Sonnax HP overrun clutch hub, Sonnax Smart Shell Kit, Sonnax HP 2WD 18.25 inch long output shaft (Note: for 4X4 applications, use Stage 2 kit and order Sonnax 4X4 output shaft (S74678BAHD))	<div>1</div> <div>2</div> <div></div>
TSP74009B-ST3	4L65E/4L70E	Transtec Master Kit w/ Alto Red frictions and Kolene steels, Bonded piston kit, Durabond HP bushing kit, Sonnax 3-4 HP backing plate kit, filter, Alto wide Power Band w/Red lining, thrust washer kit, (2) aluminum 1-2/3-4 accumulator pistons, aluminum forward accumulator piston, Sonnax 2nd gear Super Servo assembly, Sonnax 4th gear Super Servo assembly, Borg Warner 29 element forward clutch sprag with metal cage, Borg Warner wide type low roller clutch, Sonnax HP overrun clutch hub, Sonnax Smart Shell Kit, Sonnax HP 2WD 18.25 inch long output shaft (Note: for 4X4 applications, use Stage 2 kit and order Sonnax 4X4 output shaft (S74678BAHD))	<div>1</div> <div>2</div> <div>3</div>

MODULES

Part Number	Series	Description	Stage
A74100CAPK	4L60E	Alto Red Eagle 3-4 friction module. 0.062in. thick	1 2
A74100CPPK	4L60E	Alto Red Eagle Friction and kolene steel module, includes frictions, steels, pressure plate, snap ring	1 2
A74100GK	4L60E/4L65E/4L70E	Alto Red Eagle Friction 3-4 "A pack" one sided friction module	1 2
A74108HPK	TH700-R4	Alto Red Eagle forward friction module, 0.078in. thick, 1982-1984	1 2
A74114HPK	TH700-R4/4L60/4L60E/4L65E/4L70E	Alto Red Eagle low reverse module, 0.087in. thick	1 2
A74119BHP	TH700-R4/4L60/4L60E/4L65E/4L70E	Alto Red Eagle friction and kolene steel module	1 2
A74128HPK	TH700-R4	Alto Kolene forward steels, 0.078in. thick, 1982-84	1 2 3
J74119EAHP	4L60E/4L65E/4L70E	Exedy Performance 3-4 waved pack, includes 7 frictions, 0.065in. thick, 2001-2014	1
J74119EHP	TH700-R4/4L60/4L60E/4L65E/4L70E	Exedy Performance 3-4 waved pack, includes 6 frictions, 0.080in. thick, 1982-2014	1

PRESSURE PLATES


Part Number	Series	Description	Stage
S74140JK	4L60/4L60E/4L65E/4L70E	Sonnax 3-4 backing plate kit, includes backing and apply plates	<div><div>1</div><div>2</div><div></div></div>

STEELS

Part Number	Series	Description	Stage
44134K	250/TH350/700/4L60E/70E	Low Reverse Kolene steel, 0.068in. thick	<div><div>1</div><div>2</div><div>3</div></div>
74120AK	4L60E	3-4 Kolene steel, 0.076in. thick	<div><div>1</div><div>2</div><div>3</div></div>
74120BK	4L60E	3-4 Kolene steel, 0.060in. thick	<div><div>1</div><div>2</div><div>3</div></div>
74120CK	4L60E	3-4 Kolene steel, 0.106in. thick	<div><div>1</div><div>2</div><div>3</div></div>
74128AK	TH700-R4/4L60E	Forward Kolene steel, 0.090in. thick	<div><div>1</div><div>2</div><div>3</div></div>
74130K	4L60E	Reverse Input Kolene steel	<div><div>1</div><div>2</div><div>3</div></div>
74136K	4L60E	Overrun Kolene steel	<div><div>1</div><div>2</div><div>3</div></div>

SECTION 2

「HARD PARTS」



sonnax®



HP-4L60E-01

The Sonnax Performance Pack for GM 4L60-E, 4L65-E and 4L70-E transmissions is a must-have for any heavy-duty vehicle and the very best foundation for high-performance racing. All components work together to carefully tune line pressure, accumulator pressure and shift calibration. It's the ultimate way to get an impressive transmission that responds to throttle and increased load with quick, firm shifts.



S74554ST

Sonnax Smart Tech input clutch housing kit, includes Bushing, Input Housing, Reinforcement Sleeve, Seals, Apply Plate, Return Springs, Bolt-on Anchor Plate, Socket Head Cap Screws, and Piston, 1991-2014

Find on Page 12



S74582HDK

Sonnax input/front planet kit, 6 pinion gear, 2.84 ratio, includes planet and sun gear

Find on Page 14



S74678AAHD

Sonnax 300m billet steel output shaft, 2WD and Corvette applications only

Find on Page 16

ACCUMULATORS

Part Number	Series	Description	Stage
A74927B	4L60E/4L65E/4L70E	1-2 Accumulator piston, 0.230in. hole diameter, 1994-2014	<div><div>1</div><div>2</div><div></div></div>
A74927C	4L65E/4L70E	1-2 Accumulator piston, 0.236in. hole diameter, no legs, aluminum to replace plastic OEM product	<div><div>1</div><div>2</div><div></div></div>

DIPSTICKS

Part Number	Series	Description	Stage
T74494U	TH700-R4/4L60/4L60E/4L65E/4L70E	TeckPak filler tube and dipstick	<div><div>1</div><div>2</div><div></div></div>

DRUMS

Part Number	Series	Description	Stage
<div> S74554ST</div>	4L60/4L60E/4L65E/4L70E	Sonnax Smart Tech input clutch housing kit, includes Bushing, Input Housing, Reinforcement Sleeve, Seals, Apply Plate, Return Springs, Bolt-on Anchor Plate, Socket Head Cap Screws, and Piston, 1991-2014	<div><div>1</div><div>2</div><div>3</div></div> <div>sonnax®</div>
S74554STA	4L60/4L60E	Sonnax Smart Tech input clutch housing kit, includes Bushing, Input Housing w/ shaft, Reinforcement Sleeve, Seals, Apply Plate, Return Springs, Bolt-on Anchor Plate, Socket Head Cap Screws, and Piston, 1982-1991	<div><div>1</div><div>2</div><div>3</div></div>



Part Number	Series	Description	Stage
S74554STB	4L60E/4L65E/4L70E	Sonnax Smart Tech input clutch housing kit, includes Bushing, Input Housing w/ 300mm non-reluctor shaft, Reinforcement Sleeve, Seals, Apply Plate, Return Springs, Bolt-on Anchor Plate, Socket Head Cap Screws, and Piston, 1991-2014	1 2 3
S74554STC	4L60E/4L65E/4L70E	Sonnax Smart Tech input clutch housing kit, includes Bushing, Input Housing w/ 300mm reluctor shaft, Reinforcement Sleeve, Seals, Apply Plate, Return Springs, Bolt-on Anchor Plate, Socket Head Cap Screws, and Piston, 1991-2014	1 2 3
S74569	4L60E/4L65E/4L70E	Sonnax Input Drum reinforcement kit, 1997-2014, includes sleeve, seals, and overrun piston	1 2

HUBS

Part Number	Series	Description	Stage
S74574HD	TH700-R4/4L60/4L60E/4L65E/4L70E	Sonnax Overrun Hub Kit, 4140 Chromoly	2 3
S74602BHPK	TH700-R4/4L60/4L60E/4L65E/4L70E	Sonnax Reaction Hub and Shaft Kit, includes hub and reaction shaft, shim, and 2 bearings	2 3

PANS

Part Number	Series	Description	Stage
A74765AA	TH700-R4/4L60E	Aluminum, black coated, 2 7/8in. deep, includes gasket, bolts, drain plug, 1982-1997	1 2

Part Number	Series	Description	Stage
A74765B	TH700-R4/4L60E	Mag-Hytec deep pan, 4 1/4in. deep, includes bolt kit, drain plug, 1982-1997	1 2 3
A74765BA	4L60E/4L65E/4L70E	Mag-Hytec deep pan, 4 1/4in. deep, includes bolt kit, drain plug, 1998-2014	1 2 3

PLANETS

Part Number	Series	Description	Stage
 <p>S74582HDK</p>	TH700-R4/4L60/4L60E/4L65E/4L70E	Sonnax input/front planet kit, 6 pinion gear, 2.84 ratio, includes planet and sun gear	1 2 3 sonnax

PUMPS

Part Number	Series	Description	Stage
A74532CHD	4L60E/4L65E/4L70E	13 Vane pump rotor, 4140 HSTR billet steel, 1997-2014	1 2 3
S74507FJA	4L60E/4L65E/4L70E	Sonnax Line pressure boost kit, short 1.810in. long type	1 2 3
S74507FS	4L60E/4L65E/4L70E	Sonnax Line pressure boost kit, large 1.907in. long type	1 2 3
S74507HPK	4L60E/4L65E/4L70E	Sonnax Performance Pack, 1994-2014	1 2 3



SERVOS

Part Number	Series	Description	Stage
A74902H	4L60/4L60E	Superior Super Servo, 4th gear	1 2
A74905B	TH700-R4/4L60E	"Corvette" type 2nd Apply Servo, cast no. 093	1 2
A74905BAK	TH700-R4	Servo and Accumulator Piston Kit, "Corvette" type, 2nd apply, includes servo piston and housing, 2 accumulator pistons, TV Boost Valve and sleeve, 2 lathe cut seals, 2 o-rings, 2 sealing rings	1 2
A74905BK	TH700-R4/4L60E	Servo Piston Kit, "Corvette" type, 2nd apply, includes piston, housing, 2 o-rings, 2 sealing rings	1 2
A74905H	TH700-R4/4L60E	Superior Super Servo, 1-2 gear, includes 2 pistons, servo return spring, 3 flat washers, 2 o-rings, servo clip, 2 sealing rings	1 2
A74907B	TH700-R4/4L60E	Corvette 2nd apply servo cover	1 2
S74902H	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Sonnax 4th gear Super Hold dual servo kit, includes Super Hold servo assembly, and steel washer	1 2 3
S74905H	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Sonnax 2nd gear "Corvette" ratio servo kit, includes piston, D rings, housing, and housing o-ring	1 2 3
S74905HA	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Sonnax 2nd gear Super Hold Servo Kit, includes Super Hold servo piston, separator, apply pin, seals, D rings, and o-rings	1 2 3
S74908K	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Sonnax 2nd gear servo pin kit, includes long type pin, seals, and o-ring	1 2 3

SHAFTS

Part Number	Series	Description	Stage
A74678BAHD	4L60E/4L65E/4L70E	Output, 4X4, 300M billet steel, heat treated, 13.250in. long, 1993-2014	<div><div>1</div><div>2</div><div></div></div>
S74670D	4L60/4L60E	Sonnax 30 spline input, use with 1985 and later 298mm type torque converters	<div><div>1</div><div>2</div><div>3</div></div>
S74670G	4L60E/4L65E	Sonnax 300mm type input, no reluctor or pilot, 1998-2005	<div><div>1</div><div>2</div><div>3</div></div>
S74670GA	4L60E/4L65E/4L70E	Sonnax 300mm type input, no reluctor or pilot, 2006-2014, cryogenically hardened	<div><div>1</div><div>2</div><div>3</div></div>
S74678AAHD	4L60E/4L65E/4L70E	Sonnax 300M billet steel output shaft, 2WD and Corvette applications only	<div><div>1</div><div>2</div><div>3</div></div>
<div> S74678BAHD</div>	4L60E/4L65E/4L70E	Sonnax 300M billet steel output shaft, 4X4 and AWD applications only	<div><div>1</div><div>2</div><div>3</div></div> <div>sonnax®</div>

SHELLS

Part Number	Series	Description	Stage
S74624SS	TH700-R4/4L60/4L60E/4L65E/4L70E	Sonnax Smart Shell reaction shell kit, includes heavy duty reaction shell, custom roller clutch race, and thrust bearing	<div><div>1</div><div>2</div><div>3</div></div>



SPRINGS

Part Number	Series	Description	Stage
A74971K	TH700-R4/4L60E	TransGo clutch spring kit	<div><div>1</div><div>2</div><div></div></div>


SECTION 3

「 CONVERTERS 」




TORQUE CONVERTERS

Part Number	Series	Description	Stage
GM18A-HP	TH700-R4/4L60E/4L65E	Recon Certified, 298mm type, 1800-2200 stall, 1982-2007	1
GM90-S1	4L60E/4L65E	Recon Certified, 300mm type, Single Disc, billet cover, 1600-1800 stall, carbon woven friction, 1998-2005	1
GM92-S1	4L60E/4L65E	Recon Certified, 300mm type, Single Disc, billet cover, 1400-1600 stall, carbon woven friction, 1998-2007	1
PT-74BR30A1	TH700-R4	ProTorque Performance, Bullet Race, 30 splines, custom stall available, rated to 850 HP, Lockup, Multi-clutch, Billet Cover, 9.5in. diameter	2
PT-74BRC5A1	4L60E	ProTorque Performance, Bullet Race, C5 Corvette LSX 1997-2004, 2400-2600 stall, rated to 850 HP, Lockup, Multi-clutch, Billet Cover, 9.5in. diameter	2
PT-74PDC5A1	4L60E	ProTorque Performance, Pro Drive, C5 Corvette LSX 1997-2004, 2400-2600 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 9.5in. diameter	2
PT-74PDC5A2	4L60E	ProTorque Performance, Pro Drive, C5 Corvette LSX 1997-2004, 2800-3000 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 9.5in. diameter	2
PT-74PDC5B1	4L60E	ProTorque Performance, Pro Drive, C5 Corvette LSX 1997-2004, 2800-3200 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10in. diameter	2
PT-74PDC5B2	4L60E	ProTorque Performance, Pro Drive, C5 Corvette LSX 1997-2004, 3200-3500 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10in. diameter	2
PT-74PDC5C1	4L60E	ProTorque Performance, Pro Drive, C5 Corvette LSX 1997-2004, 2400-2600 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10.5in. diameter	2



Part Number	Series	Description	Stage
PT-74PDC5C2	4L60E	ProTorque Performance, Pro Drive, C5 Corvette LSX 1997-2004, 2800-3200 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10.5in. diameter	 2 
PT-74LSXTC5A	4L60E	ProTorque Performance, LSXT, C5 LSX Corvette 1997-2004, 2800-3200 stall, rated to 1200 HP, Lockup, Multi-clutch, Billet Cover, 10in. diameter	  3
PT-74LSXTC5B	4L60E	ProTorque Performance, LSXT, C5 LSX Corvette 1997-2004, 3200-3500 stall, rated to 1200 HP, Lockup, Multi-clutch, Billet Cover, 10in. diameter	  3
PT-74LSXTC5C	4L60E	ProTorque Performance, LSXT, C5 LSX Corvette 1997-2004, 3500-3800 stall, rated to 1200 HP, Lockup, Multi-clutch, Billet Cover, 10in. diameter	  3
PT-74BRC6A1	4L60E	ProTorque Performance, Bullet Race, C6 LS1 Corvette 2005, custom stall available, rated to 850 HP, Lockup, Single clutch, Billet Cover, 9.5in. diameter	 2 
PT-74BRC6A2	4L60E	ProTorque Performance, Bullet Race, C6 LS1 Corvette 2005, custom stall available, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10in. diameter	 2 
PT-74PDC6A1	4L60E	ProTorque Performance, Pro Drive, C6 Corvette LS1 2005, Custom stall available, rated to 650 HP, Lockup, Single clutch, Billet Cover, 9.5in. diameter	 2 
PT-74PDC6A2	4L60E	ProTorque Performance, Pro Drive, C6 Corvette LS1 2005, Custom stall available, rated to 650 HP, Lockup, Single clutch, Billet Cover, 10in. diameter	 2 
PT-74LSXTLS1A	4L60E/4L65E/4L70E	ProTorque Performance, LSXT, LSX Corvette 1998-2014, 2800-3200 stall, rated to 1200 HP, Lockup, Multi-clutch, Billet Cover, 10in. diameter	  3
PT-74LSXTLS1B	4L60E/4L65E/4L70E	ProTorque Performance, LSXT, LSX Corvette 1998-2014, 3200-3500 stall, rated to 1200 HP, Lockup, Multi-clutch, Billet Cover, 10in. diameter	  3



Part Number	Series	Description	Stage
PT-74LSXTLS1C	4L60E/4L65E/4L70E	ProTorque Performance, LSXT, LSX Corvette 1998-2014, 3500-3800 stall, rated to 1200 HP, Lockup, Multi-clutch, Billet Cover, 10in. diameter	  
PT-74SMLS1B1	4L60E/4L65E/4L70E	ProTorque Performance, Street Muscle, LS1/LSX 1998-2014, 2800-3200 stall, rated to 500 HP, Lockup, Single clutch, 10in. diameter	  
PT-74SMLS1B2	4L60E/4L65E/4L70E	ProTorque Performance, Street Muscle, LS1/LSX 1998-2014, 3200-3500 stall, rated to 500 HP, Lockup, Single clutch, 10in. diameter	  
PT-74SMLS1C1	4L60E/4L65E/4L70E	ProTorque Performance, Street Muscle, LS1/LSX 1998-2014, 2800-3200 stall, rated to 500 HP, Non-Lockup, 10in. diameter	  
PT-74SMLS1A1	4L60E/4L65E/4L70E	ProTorque Performance, Street Muscle, LS1/LSX 1998-2014, 2600-2800 stall, rated to 650 HP, Lockup, Single clutch, 11in. diameter	  
PT-74SMLS1A2	4L60E/4L65E/4L70E	ProTorque Performance, Street Muscle, LS1/LSX 1998-2014, 2800-3200 stall, rated to 650 HP, Lockup, Single clutch, 11in. diameter	  
PT-74LSXT30A	4L60E	ProTorque Performance, LSXT, 30 spline, 2800-3200 stall, rated to 1200 HP, Lockup, Multi-clutch, Billet Cover, 10in. diameter	  
PT-74LSXT30B	4L60E	ProTorque Performance, LSXT, 30 spline, 3200-3500 stall, rated to 1200 HP, Lockup, Multi-clutch, Billet Cover, 10in. diameter	  
PT-74PD27A1	TH200-4R/TH700R-4	ProTorque Performance, Pro Drive, 27 spline, 2800-3200 Stall, rated to 650 HP, Non-Lockup, 9.5in. diameter	  
PT-74PD27A2	TH200-4R/TH700R-4	ProTorque Performance, Pro Drive, 27 spline, 3200-3500 Stall, rated to 650 HP, Non-Lockup, 9.5in. diameter	  


Part Number	Series	Description	Stage
PT-74PD30A1	TH700-R4	ProTorque Performance, Pro Drive, 30 spline, 2800-3200 Stall, rated to 650 HP, Non-Lockup, 9.5in. diameter	☐ 1 ☒ 2 ☐ 3
PT-74PD30A2	TH700-R4	ProTorque Performance, Pro Drive, 30 spline, 3200-3500 Stall, rated to 650 HP, Non-Lockup, 9.5in. diameter	☐ 1 ☒ 2 ☐ 3
PT-74PD30B1	TH700-R4/4L60E	ProTorque Performance, Pro Drive, 30 spline, 2800-3200 stall, rated to 650 HP, Lockup, Single Clutch, Billet Cover, 9.5in. diameter	☐ 1 ☒ 2 ☐ 3
PT-74PD30B2	TH700-R4/4L60E	ProTorque Performance, Pro Drive, 30 spline, 3200-3500 stall, rated to 650 HP, Lockup, Single Clutch, Billet Cover, 9.5in. diameter	☐ 1 ☒ 2 ☐ 3
PT-74PD30C1	TH700-R4/4L60E	ProTorque Performance, Pro Drive, 30 spline, 2800-3200 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10in. diameter	☐ 1 ☒ 2 ☐ 3
PT-74PD30C2	TH700-R4/4L60E	ProTorque Performance, Pro Drive, 30 spline, 3200-3500 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10in. diameter	☐ 1 ☒ 2 ☐ 3
PT-74PD30D1	TH700-R4/4L60E	ProTorque Performance, Pro Drive, 30 spline, 2400-2600 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10.5in. diameter	☐ 1 ☒ 2 ☐ 3
PT-74PD30D2	TH700-R4/4L60E	ProTorque Performance, Pro Drive, 30 spline, 2800-3000 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10.5in. diameter	☐ 1 ☒ 2 ☐ 3
PT-74PDLS1D1	4L60E/4L65E/4L70E	ProTorque Performance, Pro Drive, LS1 1998-2014, 2800-3200 stall, rated to 650 HP, Lockup, Single clutch, Billet Cover, 9.5in. diameter	☐ 1 ☒ 2 ☐ 3
PT-74PDLS1D2	4L60E/4L65E/4L70E	ProTorque Performance, Pro Drive, LS1 1998-2014, 3200-3500 stall, rated to 650 HP, Lockup, Single clutch, Billet Cover, 9.5in. diameter	☐ 1 ☒ 2 ☐ 3



Part Number	Series	Description	Stage
PT-74PDLS1E1	4L60E/4L65E/4L70E	ProTorque Performance, Pro Drive, LS1 1998-2014, 2800-3200 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10in. diameter	 2 
PT-74PDLS1E2	4L60E/4L65E/4L70E	ProTorque Performance, Pro Drive, LS1 1998-2014, 3200-3500 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10in. diameter	 2 
PT-74PDLS1F1	4L60E/4L65E/4L70E	ProTorque Performance, Pro Drive, LS1 1998-2014, 2400-2600 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10.5in. diameter	 2 
PT-74PDLS1F2	4L60E/4L65E/4L70E	ProTorque Performance, Pro Drive, LS1 1998-2014, 2800-3000 stall, rated to 850 HP, Lockup, Single clutch, Billet Cover, 10.5in. diameter	 2 
PT-74PDLS1G1	4L60E/4L65E/4L70E	ProTorque Performance, Pro Drive, LS1 1998-2014, 2600-2800 stall, rate to 850 HP, Lockup, Single clutch, Billet Cover, 11in. diameter	 2 
PT-74PDLS1G2	4L60E/4L65E/4L70E	ProTorque Performance, Pro Drive, LS1 1998-2014, 2800-3200 stall, rate to 850 HP, Lockup, Single clutch, Billet Cover, 11in. diameter	 2 
PT-74SM27A1	TH200-4R/TH700R-4	ProTorque Performance, Street Muscle, 27 spline, 1300-1700 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1  
PT-74SM27A2	TH200-4R/TH700R-4	ProTorque Performance, Street Muscle, 27 spline, 1200-1500 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1  
PT-74SM27A3	TH200-4R/TH700R-4	ProTorque Performance, Street Muscle, 27 spline, 1800-2100 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1  
PT-74SM27A4	TH200-4R/TH700R-4	ProTorque Performance, Street Muscle, 27 spline, 2200-2400 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1  

Part Number	Series	Description	Stage
PT-74SM27B1	TH200-4R/TH700R-4	ProTorque Performance, Street Muscle, 27 spline, 1300-1700 stall, rated to 400 HP, Non-Lockup, 12in. diameter	1 
PT-74SM27B2	TH200-4R/TH700R-4	ProTorque Performance, Street Muscle, 27 spline, 1200-1500 stall, rated to 400 HP, Non-Lockup, 12in. diameter	1 
PT-74SM27B3	TH200-4R/TH700R-4	ProTorque Performance, Street Muscle, 27 spline, 1800-2100 stall, rated to 400 HP, Non-Lockup, 12in. diameter	1 
PT-74SM27B4	TH200-4R/TH700R-4	ProTorque Performance, Street Muscle, 27 spline, 2200-2400 stall, rated to 400 HP, Non-Lockup, 12in. diameter	1 
PT-74SM30A1	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 1300-1700 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1 
PT-74SM30A2	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 1200-1500 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1 
PT-74SM30A3	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 1800-2100 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1 
PT-74SM30A4	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 2200-2400 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1 
PT-74SM30B1	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 1300-1700 stall, rated to 400 HP, Non-Lockup, 12in. diameter	1 
PT-74SM30B2	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 1200-1500 stall, rated to 400 HP, Non-Lockup, 12in. diameter	1 



Part Number	Series	Description	Stage
PT-74SM30B3	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 1800-2100 stall, rated to 400 HP, Non-Lockup, 12in. diameter	1 
PT-74SM30B4	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 2200-2400 stall, rated to 400 HP, Non-Lockup, 12in. diameter	1 
PT-74SM30C1	4L60E	ProTorque Performance, Street Muscle, 30 spline, 1300-1700 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1 
PT-74SM30C2	4L60E	ProTorque Performance, Street Muscle, 30 spline, 1200-1500 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1 
PT-74SM30C3	4L60E	ProTorque Performance, Street Muscle, 30 spline, 1800-2100 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1 
PT-74SM30C4	4L60E	ProTorque Performance, Street Muscle, 30 spline, 2200-2400 stall, rated to 400 HP, Lockup, Single clutch, 12in. diameter	1 
PT-74SM30D1	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 2800-3200 stall, rated to 500 HP, Lockup, Single clutch, 10in. diameter	1 
PT-74SM30D2	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 3200-3500 stall, rated to 500 HP, Lockup, Single clutch, 10in. diameter	1 
PT-74SM30E1	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 2800-3200 stall, rated to 500 HP, Non-Lockup, 10in. diameter	1 
PT-74SM30E2	TH700-R4	ProTorque Performance, Street Muscle, 30 spline, 3200-3500 stall, rated to 500 HP, Non-Lockup, 10in. diameter	1 

SECTION 4

FLEXPLATES




FLEXPLATES

Part Number	Series	Description	Stage
G142HD	—	GM 4.3L / 5.0L / 5.3L / 5.7L applications, 1986-2000, 168 tooth, with weights	<div><div>1</div><div></div><div></div></div>
G181HD	—	GM 4.8L / 5.3L / 5.7L applications, 1998-2003	<div><div>1</div><div></div><div></div></div>
G100HD	—	GM V8 applications, 1966-1987	<div><div>1</div><div></div><div></div></div>
FHD-34600	—	PRW USA, GM LS type, 168 tooth, internally balanced, 1997-up	<div><div>1</div><div>2</div><div></div></div>
FHD-35005	—	PRW USA, Chevrolet small block V8, 1 piece seal, 168 tooth internally balanced, 1986-1997	<div><div>1</div><div>2</div><div></div></div>
FHD-49600	—	PRW USA, Chevrolet small block and big block, including 8.1L Vortec, 6 bolt torque converter type, 2 piece seal, 168 tooth, internally balanced	<div><div>1</div><div>2</div><div></div></div>

SECTION 5

「 VALVE BODY COMPONENTS 」



VALVE BODY KITS

Part Number	Series	Description	Stage
S74169A	TH700-R4/4L60	Superior Fairbanks TransAction kit	1 2 3
S74169E	4L60E/4L65E/4L70E	Superior Fairbanks Performance and PowerTow kit	1 2 3
S74171	TH700-R4/4L60	Superior high performance kit	1 2
S74174	TH700-R4/4L60	Sonnax Sure Cure Kit, 1982-1994	1
S74174A	4L60E/4L65E/4L70E	Sonnax Sure Cure Kit, 1995-2014	1
T74165HP	TH200-4R/TH700-R4/ 4L60/4L60E/4L65E/ 4L70E	TransGo pump ring and spring kit, includes 2 hardened steel pump rings, and priming spring	1 2 3
T74171	TH700-R4/4L60	TransGo Reprogramming Kit, 1981-up, Stage 1 and 2	1 2
T74171E	4L60E/4L65E/4L70E	TransGo Reprogramming Kit, 1993-2014, Stage 1 and 2	1 2
T74173E	4L60E/4L65E/4L70E	TransGo Reprogramming Kit, 1993-2014, Stage 2 and 3	2 3

VALVE BODY COMPONENTS

Part Number	Series	Description	Stage
S74741S-1HD	4L60E/4L65E/4L70E	Sonnax 2-3 shift valve	1 2 3

SECTION 6

「DIFFERENTIALS」



EATON

PERFORMANCE PRODUCTS



100% Automatic Locking
Differential



Helical Gear Driven,
Automatic Limited-Slip
Differential



Posi[®]

Automatic, Clutch-Based
Limited-Slip Differential

DIFFERENTIAL BEARING KITS

Part Number	Series	Description	Stage		
741A004	GM 7.5/7.6	Includes rear pinion bearing HM89249, 1982-1987	1	2	3
741A004A	GM 7.5/7.6	Applications 1999-2005	1	2	3
742G004	GM 8.5/8.6	Applications 1972-1988	1	2	3
742G004A	GM 8.5/8.6	Disc brakes type, updated brg STD4183, 1999-2008	1	2	3
742G004B	GM 8.5/8.6	Cast no. 8064, 1979-1991	1	2	3
742G004C	GM 8.5/8.6	Cast no. 8064, 2009-2015	1	2	3
742G004E	GM 8.5/8.6	Drum brakes, 1999	1		
763A004	Ford 9.0	LM102910/LM102949 side bearings	1	2	3
763A004A	Ford 9.0	LM501310/LM501349 side bearings	1	2	3
763A004B	Ford 9.0	LM603012/LM603049 side bearings	1	2	3
763A004C	Ford 9.0	LM501310/LM501349 side bearings, 4.128 in. OD pinion seal	1	2	3



LIMITED SLIP CASES

Part Number	Series	Description	Stage
741A715B	GM 7.5/7.6	Auburn High Performance Posi, 3.23 and up ratio, 26 spline, 1975-1987	☒ 1 ☐ 2 ☐ 3
741A714D	GM 7.5/7.6	Empty case, 3.23 and up ratio, 1988-2005	☒ 1 ☒ 2 ☒ 3
741A715D	GM 7.5/7.6	Auburn High Performance Posi, 3.23 and up ratio, 28 spline, 1988-2005	☒ 1 ☐ 2 ☐ 3
741A715F	GM 7.5/7.6	Auburn Pro Series Posi, 3.23 and up ratio, 26 spline, 1975-1987	☐ 1 ☒ 2 ☒ 3
741A715H	GM 7.5/7.6	Auburn Pro Series Posi, 3.23 and up ratio, 28 spline, 1988-2005	☐ 1 ☒ 2 ☒ 3
741A715J	GM 7.5/7.6	Eaton Posi, 3.23 and up ratio, 28 spline, 1988-2005	☒ 1 ☐ 2 ☐ 3
741A715K	GM 7.5/7.6	Eaton Posi, 3.23 and up ratio, 26 spline, 1975-1987	☒ 1 ☐ 2 ☐ 3
741A715L	GM 7.5/7.6	Eaton Detroit Truetrac Posi, 3.23 and up ratio, 28 spline, 1988-2005	☒ 1 ☒ 2 ☐ 3
741A715M	GM 7.5/7.6	Eaton Detroit Truetrac Posi, 3.23 and up ratio, 26 spline, 1975-1987	☒ 1 ☒ 2 ☐ 3
741A715P	GM 7.5/7.6	Eaton Detroit Locker Posi, 3.23 and up ratio, 28 spline, 1988-2005	☐ 1 ☒ 2 ☒ 3
741A715R	GM 7.5/7.6	Eaton Detroit Locker Posi, 3.23 and up ratio, 26 spline, 1975-1987	☐ 1 ☒ 2 ☒ 3
742G715D	GM 8.5/8.6	Auburn High Performance Posi, 28 spline, 1972-1987	☒ 1 ☐ 2 ☐ 3

Part Number	Series	Description	Stage		
742G715E	GM 8.5/8.6	Auburn High Performance Posi, 30 spline, 1988-1989, 1999 drum brakes	1		
742G715F	GM 8.5/8.6	Auburn High Performance Posi, 30 spline, 1999 disc brakes to 2015	1		
742G715G	GM 8.5/8.6	Auburn Pro Series Posi, 28 spline, 1972-1987		2	3
742G715H	GM 8.5/8.6	Auburn Pro Series Posi, 30 spline, 1988-2015, all brake types		2	3
742G715J	GM 8.5/8.6	Eaton Posi, 28 spline, 1972-1987	1		
742G715K	GM 8.5/8.6	Eaton Posi, 30 spline, 1988-2015	1		
742G715L	GM 8.5/8.6	Eaton Detroit Truetrac Posi, 28 spline, 1972-1987	1	2	
742G715M	GM 8.5/8.6	Eaton Detroit Truetrac Posi, 30 spline, 1988-1999	1	2	
742G715N	GM 8.5/8.6	Eaton Detroit Locker Posi, 28 spline, 1972-1987		2	3
742G715P	GM 8.5/8.6	Eaton Detroit Locker Posi, 30 spline, 1988-2015		2	3
763A715	Ford 9.0	Auburn Pro Series Posi, 28 spline		2	3
763A715A	Ford 9.0	Auburn Pro Series Posi, 31 spline		2	3
763A715C	Ford 9.0	Eaton Detroit Truetrac Posi, 31 spline, 3.25 and up ratio	1	2	
763A715D	Ford 9.0	Eaton Detroit Truetrac Posi, 28 spline, 3.25 and up ratio	1	2	



Part Number	Series	Description	Stage
763A715B	Ford 9.0	Eaton Detroit Locker Posi, 28 spline, 3.25 and up ratio	  
763A715F	Ford 9.0	Eaton Detroit Locker Posi, 31 spline, 3.25 and up ratio	  
763A715G	Ford 9.0	Eaton Detroit Locker Posi, 35 spline, 3.25 and up ratio	  

RINGS & PINIONS


Part Number	Series	Description	Stage
741A730D	GM 7.5/7.6	3.42 ratio, series 3 carrier type, exc. Camaro, Firebird, Trans Am, 1975-2009	  
D741A730D	GM 7.5/7.6	3.42 ratio, series 3 carrier type, Camaro, Firebird, Trans Am, 1975-2009	  
741A730DX	GM 7.5/7.6	3.42 ratio, series 2 carrier type, thick type, 1975-1987	  
741A730E	GM 7.5/7.6	3.73 ratio, series 3 carrier type, exc. Camaro, Firebird, Trans Am, 1975-2009	  
D741A730E	GM 7.5/7.6	3.73 ratio, series 3 carrier type, Camaro, Firebird, Trans Am, 1975-2009	  
741A730EX	GM 7.5/7.6	3.73 ratio, series 2 carrier type, thick type, 1975-1987	  
741A730F	GM 7.5/7.6	4.10 ratio, series 3 carrier type, exc. Camaro, Firebird, Trans Am, 1975-2009	  
D741A730F	GM 7.5/7.6	4.10 ratio, series 3 carrier type, Camaro, Firebird, Trans Am, 1975-2009	  

Part Number	Series	Description	Stage		
741A730FX	GM 7.5/7.6	4.10 ratio, series 2 carrier type, thick type, 1975-1987	1	2	3
742G730C	GM 8.5/8.6	3.42 gear ratio	1	2	3
742G730D	GM 8.5/8.6	3.73 gear ratio	1	2	3
742G730E	GM 8.5/8.6	4.10 gear ratio	1	2	3
763A730C	Ford 9.0	3.00 gear ratio	1	2	
763A730E	Ford 9.0	3.25 gear ratio	1	2	
763A730F	Ford 9.0	3.50 gear ratio	1	2	
763A730G	Ford 9.0	3.55 gear ratio, Lightweight Race		2	3
763A730P	Ford 9.0	4.11 gear ratio	1	2	
763A730AN	Ford 9.0	4.29 gear ratio	1	2	
763A730T	Ford 9.0	4.56 gear ratio	1	2	
763A730HN	Ford 9.0	5.50 gear ratio, Lightweight Race		2	3
763A730AB	Ford 9.0	5.67 gear ratio	1	2	
763A730AD	Ford 9.0	6.00 gear ratio	1	2	
763A730AE	Ford 9.0	6.20 gear ratio	1	2	



Part Number	Series	Description	Stage
763A730HX	Ford 9.0	6.50 gear ratio, Lightweight Race	  

PINION FLANGES

Part Number	Series	Description	Stage
741A951	GM 7.5/7.6	1344/3R series, 27 spline	  

PINION YOKES

Part Number	Series	Description	Stage
742G951	GM 8.5/8.6	1344 series, 30 spline, with sleeve	  
742G951G	GM 8.5/8.6	1355 series, 30 spline	  
743B951A	GM 8.5/8.6	1415 series, 30 spline, with sleeve	  
T2-3-6081HP	TH200-4R/TH700-R4/ 4L60/4L60E/4L65E/ 4L70E/TH350	1310 series, 27 full spline, 1.503 in. journal dia., 5.470 in. CL to end length, 6.220 in. overall length, barrel length 3.880 in.	  
T2-3-6081HP8XL	TH200-4R/TH700-R4/ 4L60/4L60E/4L65E/ 4L70E/TH350	1310 series, 27 full spline, 1.503 in. journal dia., 8.000 in. CL to end length, 8.760 in. overall length, barrel length 6.100 in.	  
763A951	Ford 9.0	1330 series, 28 spline	  

Part Number	Series	Description	Stage
763A951A	Ford 9.0	1350 series, 28 spline	1 2 3
763A951B	Ford 9.0	1350 series, 35 spline	1 2 3

MINI SPOOLS

Part Number	Series	Description	Stage
741A733C	GM 7.5/7.6	Steel, 28 spline, 1988-2005	<div></div> <div></div> <div>3</div>
741A733	GM 7.5/7.6	Steel, 26 spline, 1975-1987	<div></div> <div></div> <div>3</div>

FULL SPOOLS

Part Number	Series	Description	Stage
742G732	GM 8.5/8.6	Full time posi-traction unit, race only	<div></div> <div></div> <div>3</div>
742G732A	GM 8.5/8.6	Full time posi-traction unit, race only	<div></div> <div></div> <div>3</div>
763A732	Ford 9.0	28 spline, steel	<div></div> <div></div> <div>3</div>
763A732A	Ford 9.0	31 spline, steel, with 3.062 in. bore housing	<div></div> <div></div> <div>3</div>



SECTION 7

ACCESSORIES

ACCESSORIES

DIPSTICKS

Part Number	Series	Description	Stage
T74494U	TH700-R4/4L60/4L60E/ 4L65E/4L70E	TeckPak filler tube and dipstick	<div><div>1</div><div>2</div><div></div></div>

TRANSMISSION COOLERS

Part Number	Series	Description	Stage
OC-512	—	Hayden, 8 3/4 in. core, 9/16 in. -18 S.A.E. flare, 3/4 in. thick, 7 1/2 in. tall, 12 1/2 in. long, powder coated aluminum	<div><div>1</div><div>2</div><div>3</div></div>
OC-525	—	Hayden, The Dawg, High Performance Remote cooler with fan, threaded cooler fittings, 10 in. fan and cooler preassembled, powder coated aluminum brackets, remote mount, 9/16 in. - 18 S.A.E. flare, 3 1/2 in. thick, 11 in. tall, 18 1/2 in. long	<div><div>1</div><div>2</div><div>3</div></div>
OC-526	—	Hayden, The Dawg, High Performance Remote cooler with fan, 10 in. fan and cooler preassembled, powder coated aluminum brackets, remote mount, 3/8 in. push-on, 3 1/2 in. thick, 11 in. tall, 13 14/5 in. long	<div><div>1</div><div>2</div><div>3</div></div>
OC-527	—	Hayden, Blue Streak Performance, includes 37mm HD cooler with 37 deg. JIC male flare fitting (-12 AN) 1.7 in. thick 9 in. tall 12.9 in. long, 8 in. HD electric fan, fully assembled with powder coated aluminum brackets	<div><div>1</div><div>2</div><div>3</div></div>
OC-528	—	Hayden, Blue Streak Performance, includes 37mm HD cooler with 37 deg. JIC male flare fitting (-12 AN) 1.7 in. thick 11.2 in. tall 12.9 in. long, 12 in. HD electric fan, fully assembled with powder coated aluminum brackets	<div><div>1</div><div>2</div><div>3</div></div>



FLUIDS

Part Number	Series	Description	Stage
M465MVLV	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Transtar Dexron VI Automatic Transmission Fluid, Low Viscosity, 1 Quart	<div>123</div>
M465MVLV-2.5	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Transtar Dexron VI Automatic Transmission Fluid, Low Viscosity, 2.5 Gallon Jug	<div>123</div>
M465MVLV-55	TH700-R4/4L60/4L60E/ 4L65E/4L70E	Transtar Dexron VI Automatic Transmission Fluid, Low Viscosity, 55 Gallon Drum	<div>123</div>